

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vinginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
08/957,187	10/24/1997	EKKEHARD BEER	514425-3566	9736	
20999	7590 08/25/2003				
FROMMER LAWRENCE & HAUG			EXAMINER		
745 FIFTH A' NEW YORK,	VENUE- 10TH FL. NY 10151		KRUER, F	KRUER, KEVIN R	
			ART UNIT	PAPER NUMBER	
			1773	32	
			DATE MAILED: 08/25/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

			A 5.
	Application No.	Applicant(s)	7 (2
Office Antique Comments	08/957,187	BEER ET AL	
Office Action Summary	Examiner	Art Unit	
	Kevin R Kruer	1773	
The MAILING DATE of this communication appropriate appropriate and the second section appropriate and the second secon	pears on the cover sheet with	tne correspondence address	~-
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.7 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a rep If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statute - Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b). Status	136(a). In no event, however, may a repl ly within the statutory minimum of thirty (3 will apply and will expire SIX (6) MONTH e, cause the application to become ABAN	y be timely filed 30) days will be considered timely. S from the mailing date of this communic (DONED (35 U.S.C. § 133).	cation.
1) Responsive to communication(s) filed on Aug	gust 8, 2003 .		
2a) This action is FINAL . 2b) ⊠ Th	nis action is non-final.		
3) Since this application is in condition for allow			rits is
closed in accordance with the practice under Disposition of Claims	Ex parte Quayle, 1935 C.D.	11, 453 O.G. 213.	
4)⊠ Claim(s) 10-14 and 16-23 is/are pending in th	ne application.		
4a) Of the above claim(s) is/are withdra	wn from consideration.		
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>10-14 and 16-23</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction and/c Application Papers	or election requirement.		
9)☐ The specification is objected to by the Examine	ar.		
10) The drawing(s) filed on is/are: a) acce		Everiner	
Applicant may not request that any objection to the	•		
11) The proposed drawing correction filed on			
If approved, corrected drawings are required in re		approved by the Examinor.	
12) The oath or declaration is objected to by the Ex	• •		
Priority under 35 U.S.C. §§ 119 and 120			
13) Acknowledgment is made of a claim for foreign	n priority under 35 U.S.C. § 1	19(a)-(d) or (f).	
a) ☐ All b) ☐ Some * c) ☐ None of:		,,,,,	
1. Certified copies of the priority document	ts have been received.		
2. Certified copies of the priority document	ts have been received in App	lication No	
 3. Copies of the certified copies of the prio application from the International Bu * See the attached detailed Office action for a list 	reau (PCT Rule 17.2(a)).	_	:
14) Acknowledgment is made of a claim for domest			cation).
a) The translation of the foreign language pro	ovisional application has bee	n received.	- · , -
Attachment(s)	as priority under do d.o.o. 35	, 120 and/01 121.	
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Info	mmary (PTO-413) Paper No(s) rmal Patent Application (PTO-152)	·

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on August 13, 2003 has been entered.

Specification

2. The correction to the paragraph in the specification that begins on page 12, line 31 and continues onto page 13, line 6 is sufficient for overcoming the objection of Paper #27.

Claim Objections

- 3. Claim 10 is objected to under 37 CFR 1.75(c) as being in improper form because a multiple dependent claim should refer to other claims in the alternative only. See MPEP § 608.01(n). Accordingly, the claim has not been further treated on the merits.
- 4. The following claims are objected to because of informalities:

Claim 10 is doubly dependent. Furthermore, claim 10 depends from canceled claim 9. The examiner suggests deleting the phrase "as defined in claim 9" in order to correct both informalities.

Claim 11 contains an improper Markush group.

Application/Control Number: 08/957,187

Art Unit: 1773

The last line of claim 13 should read "the resultant products" not "he resultant products."

Claim 16 would be less idiomatic if it stated "one or more inorganic fillers" rather than "one or more of the inorganic fillers."

Claim 18 contains idiomatic English. The phrase, "including for storing and transporting pharmaceutical product." Is unclear.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 10-14, and 17-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hirose et al. (US 5,532,030) in view of (a) Silverman (US 3,786,221) or Sincock (US 3,900,120) and (b) Valyi (US 5,702,665), Hale et al. (US 4,325,797), or Ryder (US 4,285,657).

Hirose discloses a multi-layer laminate in which the sheets or film based on polyolefins are laminated to form a material for packaging. The multi-layer laminate comprises a layer made from at least one cycloolefin-based resin selected from the group consisting of (a1) an ethylene/cycloolefin random copolymer obtained by polymerizing a cycloolefin (represented by 1 or 2) with ethylene, (a2) a ring opening polymer of the cycloolefins or its hydrogenation product and (a3) a graft-modification

product of (a1) or (a2) (column 1, lines 13-16, 54-64 and column 2, lines 1-5). The structure of the cycloolefin component is given in column 2 wherein n may be zero or 1, m may be zero or any positive integer, q may be zero or 1 and substituents R_1 - R_{18} may be a radical selected from the group consisting of hydrogen atom, halogen atom, halogen atom and hydrocarbon groups and wherein the R groups may form a monocyclic or polycyclic ring by combining with each other. The halogen atoms may be fluorine, chlorine, bromine or iodine and the hydrocarbon groups may be C₁-C₂₀ alkyl groups, C₁-C₂₀ halogenated alkyl groups, C₃-C₁₅ cycloalkyl groups and C₆-C₂₀ aromatic hydrocarbons (col 4, lines 8-25). The ethylene/cycloolefin random copolymer usually contains the constituent unit derived from ethylene in an amount of 52-90mol% and the constituent unit derived from a cylcoolefin in an amount of 10-48mole%. The ethylene/cycloolefin copolymer may contain constituent units derived from other copolymerizable monomers such as monocyclic olefins in an amount of 20mole% or less (column 21, lines 64-67; column 22, lines 1-4, 66-67; column 23, lines 31 through column 24, lines 1-2). The cycloolefin-based resin may be blended with other resin and various additives (column 29, lines 56-67). The multi-layer laminate may be subjected to monoaxial or biaxial stretching to produce sheet or film material suitable for packaging drugs, foods, and cigarettes. Such a material is superior in moisture-proof properties and therefore may be used as a blister pack, bottle or other type of container (column 34, lines 33-67 and column 35, lines 1-19). The thickness of the laminate is 100um as indicated in Table 1 in columns 35 and 36.

Hirose does not teach the claimed puncture resistance or the claimed moisture impermeability. However, Silverman teaches that molecular orientation improves thermoplastics' impact resistance (col 1, lines 11+). (NOTE: the test method by which applicant measures puncture resistance is the same test method utilized in the art to measure impact resistance. Therefore, the examiner will utilize "puncture resistance" and "impact resistance" as synonyms in this application). Sincock similarly teaches that molecular orientation of thermoplastic materials is known in the art to improve the material's impact resistance. Furthermore, it is known in the art that molecular orientation of thermoplastic materials improve the material's gas impermeability (see '657, col 1, lines 10-15; '797, col 6, lines 23+); and '665, col 1, lines 10+). Therefore, the examiner takes the position that it would have been obvious to one of ordinary skill in the art to vary the molecular orientation of the film taught by Hirose in order to optimize the film's water vapor permeability and impact resistance. The examiner notes that moisture proofness and mechanical strength are desired by Hirose (see col 34, lines 60+).

6. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hirose et al. (US 5,532,030) in view of (a) Silverman (US 3,786,221) or Sincock (US 3,900,120) and (b) Valyi (US 5,702,665), Hale et al. (US 4,325,797), or Ryder (US 4,285,657), as applied to claims 1-14 and 17-20, above, and further in view of Tanaka et al. (US 5,556,920). Hirose is relied upon as above, but does not specifically state that the multilayer film may contain inorganic filler. However, Tanaka discloses a monoaxially stretched polypropylene film composition comprising a crystalline polypropylene and a

monocyclic olefin polymer (refer to abstract). Anti-blocking agents that may be used include silica, alumina, and calcium carbonate (col 6, lines 66-67). Accordingly, it would have been obvious to one of ordinary skill in the art to fabricate polymeric films that contain fillers particularly since Tanaka suggest the addition of anti-blocking agents leads to films of improved transparency, image clarity, and formability (col 8, lines 40-43 and 51-56).

7. Claims 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hirose et al. (US 5,532,030) in view of (a) Silverman (US 3,786,221) or Sincock (US 3,900,120) and (b) Valyi (US 5,702,665), Hale et al. (US 4,325,797), or Ryder (US 4,285,657), as applied to claims 10-14 and 17-20 above, and further in view of Schirmer (US 4,442,147) and US2002/0037393A1 (Strobel et al). Hirose in view of (a) Silverman or Sincock and (b) Valyi, Hale, or Ryder is relied upon as above. None of the references teach the claimed film elongation at break or film tear strength in the machine direction. However, the film taught by Hirose desirably possesses high mechanical strength and easy hand cutting (col 35, lines 12+). With respect to mechanical strength, Strobel teaches orientation of thermoplastic films typically produce films with a decreased elongation at break (paragraph 21). Furthermore, Schirmer teaches that film orientation will affect a film's tear strength in the machine direction (col 2, lines 45+). Thus, it would have been obvious to one of ordinary skill in the art to control the degree and direction of orientation in order to control the film's elongation at break and the tear strength in the machine direction.

8. Claim 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hirose et al. (US 5,532,030) in view of (a) Silverman (US 3,786,221) or Sincock (US 3,900,120) and (b) Valyi (US 5,702,665), Hale et al. (US 4,325,797), or Ryder (US 4,285,657). Hirose discloses a film or sheet made from at least one cycloolefin-based resin selected from the group consisting of (1) an ethylene/cycloolefin random copolymer obtained by polymerizing a cycloolefin (represented by formula I) with ethylene, (2) a cycloolefin homopolymer, or (3) hydrogenated product thereof (abstract). The structure of the cycloolefin component is given in the abstract wherein *n* may be zero or positive integer, and substituents R₁-R₁₂ may be a radical selected from the group consisting of hydrogen atom, halogen atom, and hydrocarbon groups (abstract). See pages 9+ for specific examples of cycloolefins that are defined by formula I. The multi-layer laminate may be subjected to monoaxial or biaxial stretching and has a thickness of 0.5-5mm (page 28, lines 2+).

Hirose does not teach the claimed puncture resistance or the claimed moisture impermeability. However, Silverman teaches that molecular orientation improves thermoplastics' impact resistance (col 1, lines 11+). (NOTE: the test method by which applicant measures puncture resistance is the same test method utilized in the art to measure impact resistance. Therefore, the examiner will utilize "puncture resistance" and "impact resistance" as synonyms in this application). Sincock similarly teaches that molecular orientation of thermoplastic materials is known in the art to improve the material's impact resistance. Furthermore, it is known in the art that molecular orientation of thermoplastic materials improve the material's gas impermeability (see

Application/Control Number: 08/957,187

Art Unit: 1773

'657, col 1, lines 10-15; '797, col 6, lines 23+); and '665, col 1, lines 10+). Therefore, the examiner takes the position that it would have been obvious to one of ordinary skill in the art to vary the molecular orientation of the film taught by Hirose in order to optimize the film's water vapor permeability and impact resistance. The examiner notes that moisture proofness and mechanical strength are desired by Hirose (see abstract).

Response to Arguments

Applicant's arguments with respect to the pending claims have been fully considered but are not persuasive. Applicant argues that the claimed invention has unexpected results over the cited documents. Specifically, Applicant argues that if the stretch ratio is too low, the elongation at break is too low, and if the stretch ratio is too high, the puncture resistance is also too high. However, the cited documents already show that the stretch ratio should be selected in order to obtain the desired puncture resistance (see Silverman, col 1, lines 11+) and elongation at break (see Strobel, paragraph 21). Therefore, the results are not deemed to be unexpected.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. EP0384694 teaches orientation of films comprising cycloolefin copolymers.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin R Kruer whose telephone number is 703-305-0025. The examiner can normally be reached on Monday-Friday from 7:00a.m. to 4:00p.m.

Application/Control Number: 08/957,187

Art Unit: 1773

305-5408.

• . . -

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Thibodeau, can be reached on (703) 308-2367. The fax phone number for the organization where this application or proceeding is assigned is 703-

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

KRK

2-R7-

Paul Thibodeau

Thiporyleory Patent Examiner
Thiporyleory Patent 1700

an Fluthen

Page 9